



EBE 65

serratura a rullo
roller bolt lock

**AC1065R**


Serratura multipunto a rullo
Altezza anta da 2000 a 2300 mm

*Multipoint roller bolt lock
Leaf height from 2000 to 2300 mm*

**AC1066R**

Serratura multipunto a rullo
Altezza anta da 2301 a 2900 mm


*Multipoint roller bolt lock
Leaf height from 2301 to 2900 mm*



**AC1067R**

Serratura multipunto a rullo
Altezza anta oltre 2900 mm


*Multipoint roller bolt lock
Leaf height over 2900 mm*

This image shows a full page of blank graph paper. The grid consists of small, equal-sized squares formed by thin, light gray dashed lines. There are 20 columns and 20 rows of these squares, creating a total of 400 square units. The background is white, and the lines are evenly spaced both horizontally and vertically.







Lavorazione valida anche per porte apertura esterna
Tooling also valid for doors with external opening



Asse cilindro
Cylinder axis



* Prefori $\varnothing$ 3 mm | Pilot holes $\varnothing$ 3 mm




This image shows a full page of blank graph paper. The grid consists of small, uniform squares formed by thin, light gray dashed lines. There are 20 columns and 20 rows of these squares, creating a total of 400 individual square units across the entire page. The background is white, and the lines are evenly spaced both horizontally and vertically.


AC1066R


- 1) Serratura
- 2) Frontalino
- 3) Scrocco a rullo
- 4) Catenaccio
- 5) Incontro per serratura
- 6) Deviatori (n°2 pezzi sup + inf.)
- 7) Catenaccio (n°2 pezzi sup + inf.)
- 8) Incontro (n°2 pezzi sup + inf.)

AC1066R


- 1) Lock
- 2) Front plate
- 3) Roller spring latch
- 4) Bolt
- 5) Strike plate
- 6) Diverters (n° 2 items upper + lower)
- 7) Bolt (n° 2 items upper + lower)
- 8) Plate (no. 2 items upper + lower)










This image shows a full page of blank graph paper. The grid consists of small, uniform squares formed by thin, light gray dashed lines. There are no margins, text, or other markings on the page.








Lavorazione valida anche per porte apertura esterna
Tooling also valid for doors with external opening




Asse cilindro
Cylinder axis




* Prefori $\varnothing$ 3 mm | Pilot holes $\varnothing$ 3 mm



Lavorazione valida anche per porte apertura esterna
Tooling also valid for doors with external opening



Asse cilindro
Cylinder axis



* Prefori Ø 3 mm | Pilot holes Ø 3 mm



Secco Sistemi spa
via Terraglio 195
31022 Preganziol TV - Italy
tel. +39 0422 497700
fax +39 0422 497705
info@seccosistemi.it
www.seccosistemi.it